

②

AD-A227 987

REPORT DOCUMENTATION PAGE

DTIC FILE COPY

2a. SECURITY CLASSIFICATION AUTHORITY		1b. RESTRICTIVE MARKINGS	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) ADA 24457.4-MS	
6a. NAME OF PERFORMING ORGANIZATION Massachusetts Institute of Technology	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION U. S. Army Research Office	
6c. ADDRESS (City, State, and ZIP Code) 77 Massachusetts Avenue Cambridge, MA 02139		7b. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION U. S. Army Research Office	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAAL03-87-K-0099	
8c. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification)  Icoashedral and other quasicrystalline phases in magnetic alloy systems			
12. PERSONAL AUTHOR(S) R.C. O'Handley			
13a. TYPE OF REPORT Final	13b. TIME COVERED FROM Jul, '87 TO Jn. 30, '90	14. DATE OF REPORT (Year, Month, Day) 1990. Sept. 12	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		Quasicrystal, icosahedral phase, spin glass, magnetic alloys, metastable alloys.	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The aim of this program was to understand the consequences of long-range and short-range icosahedral order on magnetism in quasicrystalline alloys. At the time of its outset, there were no known or suspected magnetic quasicrystals. We set out to make some and succeeded. We later showed these alloys to be concentrated spin glass. Along the way we made new quasicrystals in the TiNi(Fe)Si system that showed no quadrupole splitting in their Mossbauer spectrum. This strongly suggests high site symmetry for the iron absorbers. We did extensive work on transition-metal-sibstituted Mn-Al-Si quasicrystals gaining insight into the interplay between site selection, site volume and magnetic moment formation.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

90 10 24 010

# Icosahedral and other quasicrystal phases in magnetic alloy systems

## FINAL REPORT

R.C. O'Handley

September 12, 1990

U.S. Army Research Office

DAAL-03-87-K-0099

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

Massachusetts Institute of Technology



24457-MS

## FINAL REPORT

1. ARO PROPOSAL NUMBER: 24457-MS
2. PERIOD COVERED BY REPORT: 1 July 1987 - 30 June 1990
3. TITLE OF PROPOSAL: Icosahedral & Other Quasicrystal Phases in  
Magnetic Alloy Systems
4. CONTRACT OR GRANT NUMBER: DAAL03-87-K-0099
5. NAME OF INSTITUTION: Massachusetts Institute of Technology
6. AUTHOR OF REPORT: R.C. O'Handley
7. LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO  
SPONSORSHIP DURING THIS REPORTING PERIOD, INCLUDING JOURNAL  
REFERENCES: See references at end of report.
8. SCIENTIFIC PERSONNEL SUPPORTED BY THIS PROJECT AND DEGREES  
AWARDED DURING THIS REPORTING PERIOD:

P.I.

R.C. O'Handley

Graduate Students:

Mike McHenry, R.A., PhD, May 1988, Carnegie-Mellon University

Shu-wei Sun, R.A., PhD expected 1991

Unpaid postdoc or visitor:

Dr. Ratnamala Chatterjee, Indian Inst. Tech, Delhi

Prof. R.A. Dunlap, Dalhousie University, Halifax, Nova Scotia

Undergraduates:

Alice Chow

Tim Nieto

Yeh-Kai Tung

## RESEARCH SUMMARY

### Background

Symmetry arguments suggest, and electronic structure calculations support the notion, that a transition metal atom in an icosahedral ( $I_h$ ) environment should show an enhanced magnetic moment. This program was aimed at methodically moving toward the development of magnetic quasicrystals (QC's) from the then known Al-Mn-Si QC's and other weakly magnetic icosahedral systems.

While most sites in an icosahedral QC are not of high symmetry, preferential occupation of the icosahedral site by a particular transition metal species such as Fe (e.g. AlMn(Fe)Si) would enhance the Fe moment. This should be detectable in the magnetic susceptibility and Mossbauer spectrum.

Our early experimental work confirmed that Mn itself shows a larger local moment in quasicrystalline alloys ( $1.2 - 1.5 \mu_B/\text{Mn}$ , average) than in related crystalline structures ( $0 - 0.5 \mu_B/\text{Mn}$ ), possibly because some of the Mn atoms then occupy the  $I_h$  site. The need existed to 1) find QC's that more readily admitted potentially magnetic atoms to high symmetry sites and 2) to develop quasicrystals with higher transition metal content if ferromagnetism were to be observed.

### Ti<sub>2</sub>Ni based Q.C.'s

The Ti<sub>2</sub>Ni crystal structure has Ni sites of nearly icosahedral symmetry. We showed that the mixed quasicrystal/crystal system explored earlier by Kuo, namely rapidly solidified (VTi)<sub>2</sub>Ni, could be made to give high quality QC's by the addition of Si: Ti<sub>56</sub>Ni<sub>28</sub>Si<sub>16</sub>. However, the Ni moment in this system is quenched (See Table I, below) presumably because its low lying atomic d-states are filled upon alloying. We do not believe the moment is suppressed due to strong hybridization with the more itinerant Ti d band because of the incompatibility of d with  $I_h$  symmetry and because a tight binding or configuration model should be even more valid for Ni than for Mn.

We looked for stronger magnetism by making earlier transition metal substitutions for Ni. We first found that  $\text{Ti}_{56}\text{Ni}_{28-x}\text{Fe}_x\text{Si}_{16}$  gives excellent single-phase, quasicrystalline samples. More importantly, their Mossbauer spectra show a narrow singlet indicating Fe occupies sites of cubic or higher symmetry. In contrast, our Mossbauer studies of  $\text{AlMn(Fe)Si}$  QC's and amorphous or crystalline  $\text{Ti}_2\text{Ni}$  or  $\text{TiNiFe}$  alloys invariably showed a significant quadrupole splitting. So this was an amazing result (Fig. 1). The quasicrystal structure contains no cubic sites, only the icosahedral sites and several sites of symmetry lower than cubic. At such high symmetry sites a transition metal atom should have a narrow d-band (unsplit by the crystal field) and may, therefore, develop a large moment if its d bands remain partially filled.

The T moments we observed in the  $\text{Ti}_{56}\text{Ni}_{28-x}\text{T}_x\text{Si}_{16}$  system are compared in the table below with the moments of these species in Al-Mn-Si.

TABLE I

Transition metal moments at low concentrations in quasicrystal hosts.

HOST	T =	Mn	Fe	Co	Ni
<hr/>					
$\text{Ti}_{56}\text{Ni}_{28-x}\text{T}_x\text{Si}_{16}$		0.6	0.2	-	0.06
$\text{Al}_{92-x}\text{T}_x\text{Si}_8$		0.4*	0.0	0.0	0.0

\*  $\mu_{\text{Mn}} = 1.2 \mu_{\text{B}}$  for x close to 0.2

These lower-than-optimum moments in the TiNi base QC's may be the result of partial d-band filling by valence charge from Ti. Electronegativity increases from left to right in the 3d series.

AlMn(VCrFe)-Si

At an early stage we studied the Al(FeCr)Si system to investigate whether the Mn moment in AlMnSi QC's is a local moment due to the unique electronic configuration of Mn ( $3d^5$ ) or can be explained better in terms of a band model with emphasis on the average d electron concentration (Fe and Cr straddle Mn in the 3d series and therefore have the same average d-electron concentration as Mn). The absence of a significant moment in Al(FeCr)Si confirms the local moment picture.

Our extensive studies on Al-Mn(VCrFe)-Si QC's indicated that the condition more favorable to magnetic moment formation is a small ratio of transition metal atom volume to site volume. We therefore explored ways of expanding the Al-Si network by replacing Si with Ge.

### Al-(MnCr)-Ge Quasicrystals

Two families of Ge-containing QC's were made by melt spinning  $\text{Al}_{65}\text{Cr}_{20-x}\text{Mn}_x\text{Ge}_{15}$  ( $0 \leq x \leq 20$ ) and  $\text{Al}_{60}\text{Mn}_{20}\text{Ge}_{20}$ . The important results are

- 1) that the effective paramagnetic moment per Mn atom has been raised to  $2.1 \mu_B/\text{Mn}$  compared to a maximum of  $1.2 \mu_B/\text{Mn}$  in Si containing Q.C.'s.

This is larger than the moment observed in any other Q.C

- 2) for the first time a quasicrystal has been made in which Cr shows a significant paramagnetic moment,  $0.45 \mu_B/\text{Cr}$ . The higher moments in these new Q.C.'s are believed to be due to an expansion of the quasilattice brought about by replacing Si with Ge (covalent radius increases from  $1.1 \text{ \AA}$  to  $1.22 \text{ \AA}$ ).

The non-monotonic compositional dependence of the susceptibility across the  $\text{Al}_{65}\text{Cr}_{20-x}\text{Mn}_x\text{Ge}_{15}$  ( $0 \leq x \leq 20$ ) series suggests at least two classes of magnetic sites in these structures rather than two constant moments, Mn and Cr, combining by a lever rule to give a mean paramagnetic moment.

Spin glass behavior was observed below 8 K in icosahedral  $\text{Al}_{65}\text{Mn}_{20}\text{Ge}_{15}$  suggesting either a random local anisotropy or competing ferro-and antiferromagnetic exchange interactions due to a distribution of environments available to the magnetic species. The decay of magnetization in the spin glass state was found to be logarithmic in time and could be analyzed to indicate a mean activation barrier of 6.8 meV for re-orientation of the moments by a field against the local random

anisotropy. In such a model 6.8 meV corresponds to a giant local anisotropy energy density of order  $3 \times 10^8$  erg/cm<sup>3</sup>.

### Si-rich Al-Mn-Si Q.C.'s

*Amorphous* Al-Mn-Si alloys containing 25-30% Si were found by Hauser to be ferromagnetic with  $T_c = 110$  K. By melt spinning several of these compositions at slower wheel speeds we fabricated single-phase quasicrystals with no x-ray evidence of amorphous or crystalline structures present. The magnetization vs. temperature and field is shown in Fig. 2. The results suggest ferromagnetic behavior with a very weak moment.

Also two alloys enriched in Si,  $Al_{50}Mn_{20}Si_{30}$  and  $Al_{55}Mn_{20}Si_{25}$ , were prepared by melt spinning and found to be fully amorphous. When annealed below their crystallization temperatures ( $T_x \sim 650$  K) they transform to a single icosahedral phase having a quasilattice constant of 0.458 nm, only 0.65% less than that of  $Al_{74}Mn_{20}Si_6$ . Both the amorphous and Q.C. phases are ferromagnetic with  $T_c \sim 120$  K and spontaneous magnetization of about 0.2 emu/g. Appreciable high-field susceptibility coexists with the spontaneous moment only in the Q.C.'s. The Q.C. paramagnetic moment is 0.24 to 0.32  $\mu_B$ /Mn, about 25% of the paramagnetic moment in  $Al_{74}Mn_{20}Si_6$  Q.C.'s.

Table II Magnetic properties of amorphous and quasicrystalline Si-rich Al-Mn-Si alloys. Average values for the Si<sub>25</sub> and Si<sub>30</sub> compositions are given.

	Amorphous	Quasicrystalline
$T_C$ (K)	108	113
$n_o(\text{ferro}) \mu_B/\text{Mn}$	0.0026	0.0061
$\mu_p(\text{para}) \mu_B/\text{Mn}$	$\sim 0$	0.28

A major question to be addressed was the possibility that the ferromagnetism was due to a small amount of magnetic impurity: a magnetic Mn phase or simply traces of Fe. While this possibility cannot be decisively ruled out, several facts make it extremely unlikely. 1) It is improbable that such a small amount of a magnetic phase would remain unchanged during the annealing yet we see the same ferromagnetic moment in amorphous and Q.C. samples. 2) Trace amounts of Fe would show  $T_C > 1000$  K if precipitated as  $\alpha$ -Fe and lower  $T_C$  if alloyed. Again it seems likely that the equilibrium alloy composition ( $T_C$  of annealed QC) would be quite different from that of the non-equilibrium amorphous alloy. 3) Finally, and most convincingly we feel, FMR studies have shown the strongest resonance signal, that due to the majority, Q.C. phase, to vanish at  $T_C = 115$  K, identifying it (and not some impurity phase) as the ferromagnetic component.

We examined closely one well-documented crystalline phase, AlMnFe. It is instructive to compare the ferromagnetic properties of icosahedral Al-Mn-(SiGe) with those of the related equiatomic crystalline AlMnGe which has the tetragonal Cu<sub>2</sub>Sb structure.<sup>2</sup> The table below shows that the larger Mn-Mn spacing  $r_{\text{Mn-Mn}}$  in the crystal correlates with the stronger magnetism observed there. We have not yet made a ferromagnetic AlMnGe quasicrystal so the effective *paramagnetic* moment per Mn atom  $\mu_{\text{Mn}}$  is reported. The trends shown in the table are consistent with a



simple Bethe-Slater picture of distance-dependent-exchange. Also, the data rule out the possibility that the ferromagnetic is due to AlMnGe precipitates because of the  $T_C$ 's.

	$\text{Al}_{37}\text{Mn}_{30}\text{Si}_{33}$	$\text{Al}_{65}\text{Mn}_{20}\text{Ge}_{15}$	AMnGe
Structure	icos.	icos.	$\text{Cu}_2\text{Sb}$
$r_{\text{Mn-Mn}}$ (Å)	2.59		2.77
$T_C$ (K)	107	-	518
$\mu_{\text{Mn}}$ ( $\mu_B$ )	< 0.1	-	1.7
$\rho_{\text{Mn}}$ ( $\mu_B$ )	-	2.1	2.9

We used Mossbauer effect spectroscopy to study the ferromagnetic quasicrystals  $\text{Al}_{40}\text{Mn}_{25}\text{Cu}_{10-x}\text{Fe}_x\text{Ge}_{25}$  reported by Tsai et al. The iron hyperfine field is much smaller than that of metallic  $\alpha$ -Fe (15-20 kOe vs 250 kOe), it vanishes at  $T_C = 465$  K as it should and it is relatively insensitive to  $x$  below  $T_C$ .

Possibly the most important advance on this project came in the form of a much better understanding of the nature of the magnetism in these so-called ferromagnetic quasicrystals. In a word, what we made are actually re-entrant ferromagnetic quasicrystals, i.e. they revert to spin glass behavior below  $T_g \ll T_C$ . This explains the low magnetic moment, consistent  $T_C$  and large high-field susceptibility.

A careful and complete set of  $M(H,T)$  data was taken on icosahedral  $\text{Al}_{37}\text{Mn}_{30}\text{Si}_{33}$ . While  $T_C = 120$  K for this material, the magnetization below  $T_C$  is very weak,  $M(5 \text{ kOe}, 5 \text{ K}) = 1.4 \text{ emu/g}$ , and is strongly field dependent (Fig. 3). Arrott plots of this data, Fig. 4, tell the true story:

the spontaneous magnetization (y intercept) is zero below  $T_c$  and the initial susceptibility (inverse of x intercept) approaches infinity even below  $T_c$ . Thus the observation of what resembled weak ferromagnetism was shown to be a concentrated spin glass state. We confirmed this with time dependent susceptibility studies. Moreover, we located this reentrant ferromagnetic quasicrystal as well as our earlier paramagnetic/dilute spin glass QC and Masumoto's high  $T_c$  ferromagnetic QC on the Sellmeyer-Nafis phase diagram (Fig. 5). Here  $t = T/J_0$  and  $d = D/J_0$  are the reduced temperature and random anisotropy, normalized with respect to the mean exchange energy  $J_0$ . Exchange fluctuations were assumed to be negligible in these systems. Located on the figure are three representative QC's:  $Al_{74}Mn_{21}Si_5$  which is paramagnetic with a transition to spin glass behavior at low  $T$ ;  $Al_{37}Mn_{10}Si_{33}$  (our result) which has  $T_c = 120$  K and  $T_g = 8$  K; and  $Al_{40}Mn_{25}Ge_{25}Cu_{10}$  which has  $T_c = 500$  K. While there is no reported spin glass behavior in the last mentioned Q.C., the saturation magnetization of 2 emu/g and strong field-dependent magnetization suggests that a considerable random anisotropy tends to frustrate the magnetic ordering in this composition also.

From Fig. 5 it is clear that the path to stronger ferromagnetic Q.C.'s lies in reducing the random anisotropy  $D$  and increasing the exchange  $J_0$ . The major question now being asked is whether the randomness in the anisotropy is intrinsic to the QC state or is simply a result of quenching these metastable Q.C.'s.

### Conclusion

It appears to me that without a major breakthrough such as discovery of an entirely new Q.C. system, the pursuit of useful magnetic properties in icosahedral Q.C.'s will be a slow process. The local random anisotropy appears to be so strong that it will frustrate the development of any significant average magnetization.


My judgement at this time is that our efforts would be much better spent in more fertile fields such as surface or thin film magnetism.

Papers published under this grant


1. "Magnetism in Icosahedral Structures," M.E. McHenry, R.C. O'Handley, W. Dmowski and T. Egami, J. Appl. Phys. 61, 4232 (1987).
2. "Icosahedral Symmetry and Magnetism," M.E. McHenry, R.C. O'Handley, in Science and Technology of Rapidly Quenched Alloys, ed. M. Tenhover, W.L. Johnson and L.E. Tanner, Materials Research Society, Pittsburgh, PA, 1987) p. 363.
3. "Physics of Ferromagnetic Amorphous Alloys," R.C. O'Handley, Invited review paper, J. Appl. Phys. 62, R15 (1987).
4. "Symmetry-Induced Local Magnetic Moments in Icosahedral Al-Mn Alloys," M.E. McHenry, D.D. Vvedensky, M.E. Eberhart, and R.C. O'Handley, Phys. Rev. B 37, 10887 (1988).
5. "Quasicrystallinity in the  $Ti_2Ni(Si)$  System," R. Chatterjee and R.C. O'Handley, Phys. Rev. B 39, 8128 (1989).
6. "Electronic Structure and Quasicrystals," R.C. O'Handley and M.E. McHenry, Mat. Sci. and Eng. 99, 377 (1988).
7. "Quasicrystalline  $Ti_{56}Ni_{23}Fe_5Si_{16}$ : Mossbauer indications for high transition metal site symmetry," R.A. Dunlap, M.E. McHenry, R.C. O'Handley, V. Srinivas and D. Bahadur, Phys. Rev. B 39, 1942 (1989).
8. "Magnetic Properties of Gas Atomized Powders of  $Al_{74}Mn_{20}Si_6$ ," M.E. McHenry, R.A. Dunlap, R. Chatterjee, A. Chow, and R.C. O'Handley, J. Appl. Phys. 63, 4255 (1988).
9. "Quasicrystalline Structure of  $Ti_2(Ni-Fe)Si$ ," R. Dunlap, R.C. O'Handley, M.E. McHenry, and R. Chatterjee, Phys. Rev. B 37, 8484 (1988).
10. "Structural, thermal and magnetic properties of icosahedral Al-Cr-Mn-Si Alloys," M.E. McHenry, V. Srinivas, D. Bahadur, R.C. O'Handley, L.L. Lloyd and R.A. Dunlap, Phys. Rev. B 39, 3611

(1989).


11. "Properties of Rapidly Solidified Ti-Ni-Fe-Si Alloys," D. Bahadur, V. Srinivas, R.A. Dunlap, R.C. O'Handley and M.E. McHenry, *Phil. Mag. B* 60, 871 (1989).
12. "High Symmetry Transition Metal Sites in  $\text{Ti}_{56}\text{Ni}_{28-x}\text{Fe}_x\text{Si}_{16}$  Quasicrystals," R. Dunlap, M.E. McHenry, R.C. O'Handley, D. Bahadur, and V. Srinivas, *J. Appl. Phys.* 64, 5956 (1988).
13. "Ferromagnetism in icosahedral Al-Mn-Si Alloys," R.A. Dunlap, M.E. McHenry, V. Srinivas, D. Bahadur and R.C. O'Handley, *Phys. Rev.* 39, 4808 (1989).
14. "Icosahedral quasicrystals and magnetism," R.C. O'Handley, R.A. Dunlap and M.E. McHenry, *Phil. Mag.* 61, 677 (1990).
15. "Magnetic Properties of Icosahedral Al-Cr-Mn-Ge Alloys," M.E. McHenry, R.A. Dunlap, V. Srinivas, D. Bahadur, and R.C. O'Handley, *Phys. Rev. B* 41, 6933 (1990).
16. "Magnetic properties of quasicrystals," R.A. Dunlap, R.C. O'Handley, M.E. McHenry, and V. Srinivas, accepted for publication in *Symmetry* (1990).
17. "The Concentrated Spin-Glass Behavior in  $\text{Al}_{37}\text{Mn}_{30}\text{Si}_{33}$  Quasicrystals," R. Chatterjee, R.A. Dunlap, V. Srinivas, and R.C. O'Handley, *Phys. Rev.* 42, 2337 (1990).
18. "Fe substitution in ferromagnetic Al-Mn-Si and AlMnGe Q.C.'s," V. Srinivas, R.A. Dunlap, M.E. McHenry, and R.C. O'Handley, *J. Appl. Phys.* 67, 5879 (1990).
19. "Magnetism and Quasicrystals," R.C. O'Handley, R.A. Dunlap and M.E. McHenry. Chapter in Ferromagnetic Materials, vol. V, ed. K.H.J. Buschow (North Holland, Amsterdam, 1990).




Comparison of Mössbauer spectra for (a) crystalline  $\text{Ti}_2\text{Ni}_{0.85}\text{Fe}_{0.15}$  and (b) QC  $\text{Ti}_{56}\text{Ni}_{23}\text{Fe}_5\text{Si}_{16}$  (Dunlap *et al.* 1989a).



Temperature dependence of magnetization at  $H=1$  T in  $\text{Al}_{55}\text{Mn}_{20}\text{Si}_{25}$  QC (Dunlap *et al.* 1989b). The inset shows the field dependence of magnetization for the same QC at  $T=10$  K.




Temperature dependence of magnetization of icosahedral  $\text{Al}_{37}\text{Mn}_{30}\text{Si}_{33}$  measured in various applied fields (Chatterjee et al. 1990)



Arrott plot of field and temperature dependent magnetization for  $\text{Al}_{37}\text{Mn}_{30}\text{Si}_{33}$  QC's (Chatterjee et al. 1990)





Sellmyer-Nafis (1985) phase diagram for random exchange system.  $t = k_B T/J_0$ ,  $\delta = \Delta J/J_0$ , F = ferromagnetic, P = Paramagnetic, S.G. = Spin-glass and M = mixed magnetic phase fields. Some of the QC's reviewed herein are located on the  $\delta$  axis.